


Product Specifications

FlashCheck Anti-Microbial Lollipop Thermometer

| | |
|-------------------------------|---|
| Measurement Range | -40°F to 311°F (-40°C to 155°C) |
| Operating Range | 32°F to 122°F (0°C to 50°C) |
| Accuracy | ±0.9°F from -40°F to +14°F (±0.5°C from -40°C to -10°C) ±0.5°F from +14°F to +68°F (±0.3°C from -10°C to +20°C) ±0.9°F from +69°F to +239°F (±0.5°C from +21°C to +115°C) ±1.8°F from 240°F to +311°F (±1.0°C from 116°C to 155°C) |
| Sensor | Thermistor |
| Display Resolution | 0.1°F/°C |
| Display Reading Update | 1 second |
| Display Window Size | 1.3in W x 0.9in H (32.9mm W x 22.9mm H) |
| Calibration | Auto calibration feature |
| Battery | Button cell alkaline |
| Body Casing | ABS plastic |
| Probe Length | 4.13in (105mm) |
| Probe Diameter | 0.14in (3.56mm), reduced tip 0.1in (2.5mm) |
| Weight | 1.3oz (37.6g) |
| Waterproof Rating | IP65 |
| Factory Calibration | NIST traceable calibration certified |
| Compliance Certificate | Manufacturers certificate of compliance available from DeltaTrak, NIST Traceable, NSF, CE |



Model 11050

- Min/Max memory stores lowest/highest readings
- Automatic calibration feature
- IP65 Waterproof housing
- Sealed anti-microbial unibody construction
- Small-diameter probe ideal for measuring temperature of "thin mass" food such as meat patties and chicken/fish fillets (FDA Food Code 4-302.12 (B))
- NSF certified
- °F/°C selectable

DeltaTrak manufactures and operates under an ISO 9001:2015 registered quality management system



SS 11050 20J1

